



(1) **EU-TYPE EXAMINATION CERTIFICATE**
(Translation)

(2) Equipment or Protective Systems Intended for Use in
Potentially Explosive Atmospheres - **Directive 2014/34/EU**

(3) EU-Type Examination Certificate Number:

PTB 17 ATEX 5002

Issue: 0

(4) Product: Control units OptiStar 4.0 of types CG20, CG20-C, CG21, CG23-P,
CG24-CP and OptiStar All-in-One CG22-C

(5) Manufacturer: Gema Switzerland GmbH

(6) Address: Mövenstrasse 17, 9015 St. Gallen, Schwitzerland

(7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The Physikalisch-Technische Bundesanstalt, notified body No. 0102 in accordance with Article 17 of the Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres, given in Annex II to the Directive.


The examination and test results are recorded in the confidential Test Report PTB Ex 20-57143.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:
EN 50050-2:2013, EN 50177:2009/A1:2012

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

(11) This EU-Type Examination Certificate relates only to the design and construction of the specified product in accordance to the Directive 2014/34/EU. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.


(12) The marking of the product shall include the following:



Konformitätsbewertungsstelle, Sektor Explosionsschutz

Braunschweig, May 19, 2020

On behalf of PTB:


Dr.-Ing. M. Thedens
Regierungsdirektor



sheet 1/2

EU-Type Examination Certificates without signature and official stamp shall not be valid. The certificates may be circulated only without alteration. Extracts or alterations are subject to approval by the Physikalisch-Technische Bundesanstalt. In case of dispute, the German text shall prevail.